NBS

NORTH BRIDGING SOURCING

BRIDGING MARKETS. BUILDING TRUST.

ARSER WOOD

PRODUCT CATALOG

QUALITY • RELIABILITY • DURABILITY

A carefully curated selection of premium wood solutions for construction, furniture, and interior design.

DEVELOPED BY:

North Bridging Sourcing

Yahya, Market Developer

CONTACT

sourcing@northbridging.com

+212 662 133 091

COLLECTION 2026



THIS CATALOG IS PROTECTED BY NORTH BRIDGING SOURCING (NBS). ALL RIGHTS RESERVED.

NORTH BRIDGING SOURCING

BRIDGING MARKETS. BUILDING TRUST.

PRODUCT CATALOG

- RAW MDF
- MDF MELAMINE
- VENEERED MDF
- PAINTED MDF
- RAW AND MELAMINE HMR MDF
- PET MDF
- CORE BLOCKBOARD
- HOLLOW CHIPBOARD
- OSB

- H20 BEAMS
- 3PLY PANEL
- LVL LAMINATED VENEER LUMBER
- DOOR SKIN
- MDF WALL PANEL
- WPC PANEL
- SPC WALL PANEL
- ACOUSTIC PANEL
- SPC FLOORING
- MDF BOARD SPECIFICATIONS
- STOCK AND FACTORY
- SHIPPING AND LOADING

© NBS MOROCCO

RAW MDF

CONSISTENT
DENSITY
DEPENDABLE
QUALITY

RAW MDF

UNFINISHED. VERSATILE. RELIABLE.


AVAILABLE DIMENSIONS & DENSITY





2800x2100x5mm	730kg/m3
2800x2100x8mm	700kg/m3
2800x2100x10mm	700kg/m3
2800x2100x12mm	700kg/m3
2800x2100x15mm	680kg/m3
2800x2100x18mm	680kg/m3
2800x1222x18mm	680kg/m3
2500x2100x5mm	730kg/m3
3660x2100x7mm	700kg/m3
3050x1220x2.4mm	780kg/m3
3660x1830x18mm	680kg/m3
2440x1220x2.4mm	780kg/m3
2440x1220x18mm	680kg/m3
2800x1220x15mm	680kg/m3
2800x1220x17.4 or 17.7mm	680kg/m3
2800x1220x18mm	680kg/m3

3660 SERIES

3660x2100x5mm	730kg/m3
3660x2100x8mm	700kg/m3
3660x2100x10mm	700kg/m3
3660x2100x12mm	700kg/m3
3660x2100x15mm	680kg/m3
3660x2100x18mm	680kg/m3

ENGINEERED FOR STRENGTH • BUILT FOR PERFORMANCE •



© NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO

MDF MELAMINE

CONSISTENT
DENSITY
DEPENDABLE
QUALITY

MDF MELAMINE




UNFINISHED. VERSATILE. RELIABLE.



AVAILABLE COLORS & DENSITY


Dimension	Color	Density
2800x2100x18mm	Matt/HG/Wood Grain	680kg/m³
2800x2100x15mm	Matt/HG/Wood Grain	680kg/m³
2800x2100x12mm	Matt/HG/Wood Grain	680kg/m³
2800x2100x10mm	Matt/HG/Wood Grain	680kg/m³
2800x2100x8mm	Matt/HG/Wood Grain	700kg/m³

Dimension	Color	Density
2800x1220x18mm	Matt/HG/Wood Grain	680kg/m³
2800x1220x15mm	Matt/HG/Wood Grain	680kg/m³
2800x1220x12mm	Matt/HG/Wood Grain	680kg/m³
2800x1220x10mm	Matt/HG/Wood Grain	680kg/m³
2800x1220x8mm	Matt/HG/Wood Grain	700kg/m³



ENGINEERED FOR STRENGTH • BUILT FOR PERFORMANCE •









© NORTH BRIDGING SOURCING. All Rights Reserved.


NORTH BRIDGING SOURCING
NBS
BRIDGING MARKETS, BUILDING TRUST





© NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO

VENEERED MDF

DURABLE
HIGH DENSITY
RELIABLE
PREMIUM QUALITY

VENEERED MDF

A NATURAL WOOD FINISH. VERSATILE. RELIABLE.

Veneer Thickness: Walnut / Red Oak / White Oak / Beech: approximately 0.2 mm; Smoked Eucalyptus: approximately 0.45 mm.

AVAILABLE DIMENSIONS, VENEER SPECIES & DENSITY

Dimensions	Thickness	Veneer Species	Density
2800 × 2100 mm (2F)	8 mm	Walnut / Red Oak / White Oak / Smoked Eucalyptus / Beech	**700 kg/m³**
	10 mm	Walnut / Red Oak / White Oak / Smoked Eucalyptus / Beech	680 kg/m³
	15 mm	Walnut / Red Oak / White Oak / Smoked Eucalyptus / Beech	680 kg/m³
	18 mm	Walnut / Red Oak / White Oak / Smoked Eucalyptus / Beech	680 kg/m³

Dimensions	Thickness	Veneer Species	Density
2800 × 1220 mm (2F)	8 mm	Walnut / Red Oak / White Oak / Smoked Eucalyptus / Beech	**700 kg/m³**
	10 mm	Walnut / Red Oak / White Oak / Smoked Eucalyptus / Beech	680 kg/m³
	15 mm	Walnut / Red Oak / White Oak / Smoked Eucalyptus / Beech	680 kg/m³
	18 mm	Walnut / Red Oak / White Oak / Smoked Eucalyptus / Beech	680 kg/m³

ENGINEERED FOR DURABILITY • DESIGNED FOR PERFORMANCE •



BEECH




RED OAK



WHITE OAK



WALNUT



SMOKED EUCALYPTUS



WALNUT



BEECH



RED OAK




WALNUT

© NORTH BRIDGING SOURCING. All Rights Reserved.











©NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO

PAINTED MDF

DURABLE
HIGH DENSITY
RELIABLE
PREMIUM QUALITY

PAINTED MDF



SMOOTH. ELEGANT. DURABLE. RELIABLE.


AVAILABLE DIMENSIONS & DENSITY



Dimension	Density
2800 × 2100 × 2.4 mm 1F	780 kg/m³
2800 × 2100 × 5 mm 1F	730 kg/m³
2800 × 2100 × 5 mm 2F	730 kg/m³
2800 × 2100 × 8 mm 1F	700 kg/m³
2800 × 2100 × 8 mm 2F	700 kg/m³
3050 × 1220 × 2.4 mm 1F	780 kg/m³


Smooth painted surface,
ready for premium finishes
and modern applications.

ENGINEERED FOR DURABILITY • DESIGNED FOR PERFORMANCE •





NORTH BRIDGING SOURCING
NBS
BRIDGING MARKETS, BUILDING TRUST

© NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO

RAW & MELAMINE
HMR MDF

CONSISTENT
DENSITY
DEPENDABLE
QUALITY

RAW & MELAMINE HMR MDF


UNFINISHED. VERSATILE. RELIABLE.

AVAILABLE DIMENSIONS & DENSITY

Dimension	Density
2800x2100x2.5mm	820kg/m³
2800x2100x5mm	760kg/m³
2800x2100x8mm	720kg/m³
2800x2100x15mm	720kg/m³
2800x2100x18mm	720kg/m³
2460x1240x2.5mm	820kg/m³

High moisture resistance
for demanding applications
and long-lasting performance.


ENGINEERED FOR STRENGTH • BUILT FOR PERFORMANCE •














©NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO

PET MDF

CONSISTENT
DENSITY
DEPENDABLE
QUALITY

PET MDF

UNFINISHED. VERSATILE. RELIABLE.


AVAILABLE DIMENSIONS & DENSITY

Dimension	Density
2800x1220x18mm	720kg/m³

PET surface for elegant finish,
durability and easy maintenance.

ENGINEERED FOR STRENGTH • BUILT FOR PERFORMANCE •





















©NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO

CORE BLOCKBOARD 

CONSISTENT
DENSITY
DEPENDABLE
QUALITY

CORE BLOCKBOARD

UNFINISHED. VERSATILE. RELIABLE.





AVAILABLE DIMENSIONS & DENSITY


Dimension	Density
2460x1250x12.5mm	350kg/m³
2460x1250x13.5mm	350kg/m³




Engineered core for strength, stability and lasting performance.

ENGINEERED FOR STRENGTH • BUILT FOR PERFORMANCE •

©NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO

HOLLOW CHIPBOARD 

CONSISTENT
DENSITY
DEPENDABLE
QUALITY

HOLLOW CHIPBOARD

UNFINISHED. VERSATILE. RELIABLE.

AVAILABLE DIMENSIONS, DENSITY & PACKING (Shipping only by container)

Dimension	Density	pcs/40'HC
2090x850x33mm	350kg/m³	1022
2090x850x38mm	350kg/m³	882
2090x850x40mm	350kg/m³	840
2090x900x33mm	350kg/m³	949
2090x900x38mm	350kg/m³	819
2090x900x40mm	350kg/m³	780
2090x630x33mm	350kg/m³	1319
2090x630x38mm	350kg/m³	1139
2090x630x40mm	350kg/m³	1085
2090x730x33mm	350kg/m³	1168
2090x730x38mm	350kg/m³	1008
2090x730x40mm	350kg/m³	960
2090x830x33mm	350kg/m³	1022
2090x830x38mm	350kg/m³	882
2090x830x40mm	350kg/m³	840
2090x930x33mm	350kg/m³	886
2090x930x38mm	350kg/m³	761
2090x930x40mm	350kg/m³	725



Lightweight construction
with excellent stability
and easy handling.

ENGINEERED FOR STRENGTH • BUILT FOR PERFORMANCE •



















© NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO

OSB



CONSISTENT
DENSITY
DEPENDABLE
QUALITY

OSB

STRONG. STABLE. VERSATILE.


AVAILABLE DIMENSIONS & DENSITY

Dimension	Density
2500x1250x9mm	580kg/m³
2500x1250x15mm	580kg/m³
2500x1250x18mm	580kg/m³

ENGINEERED FOR STRENGTH
BUILT FOR RELIABILITY












© NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO



CONSISTENT
DENSITY
DEPENDABLE
QUALITY

H20 BEAMS


STRONG. STABLE. VERSATILE.

AVAILABLE LENGTH & GLUE TYPE

Length	Glue
2.9mm	Melamine Glue
2.9mm	Phenolic Glue
3.9mm	Melamine Glue
3.9mm	Phenolic Glue


ENGINEERED FOR STRENGTH
BUILT FOR RELIABILITY





















© NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO

3 PLY PANEL



CONSISTENT
DENSITY
DEPENDABLE
QUALITY

3 PLY PANEL


STRONG. STABLE. VERSATILE.




AVAILABLE DIMENSIONS & THICKNESS


Dimension	Thickness
2000x500x27mm	6+15+6
2000x500x27mm	8.5+10+8.5

ENGINEERED FOR STRENGTH
BUILT FOR RELIABILITY






















© NORTH BRIDGING SOURCING. All Rights Reserved.


LAMINATED VENEER LUMBER (LVL)



CONSISTENT
DENSITY
DEPENDABLE
QUALITY

LVL

STRONG. STABLE. VERSATILE.



SCAFFOLDING FULL PINE

Dimension
3000/4000x225/250x38mm
3000/4000x175x35mm
3000/4000x177x37mm

FORMWORKS FULL PINE

Dimension
2700x70x70/90mm
3000x70x70/90mm

ENGINEERED FOR STRENGTH
BUILT FOR RELIABILITY


© NBS MOROCCO



















© NORTH BRIDGING SOURCING. All Rights Reserved.

DOOR SKIN



CONSISTENT
DENSITY
DEPENDABLE
QUALITY

DOOR SKIN

STRONG. STABLE. VERSATILE.

AVAILABLE DIMENSIONS

Dimension
2150x920/850/760/680x3mm
2150x920/850/760/680x3.5mm
2150x920/850/760/680x3.8mm



ENGINEERED FOR STRENGTH
BUILT FOR RELIABILITY

© NBS MOROCCO

DOOR SKIN
SECTION 1 OF 3

MELAMINE FACE

Melamine face door skins combine aesthetic appeal with everyday durability, offering a wide range of designs, colors and textures to match any interior style.



WIDE RANGE OF DESIGNS



SCRATCH RESISTANT


EASY TO CLEAN

NATURAL TEXTURES



QUALITY SURFACE. LASTING IMPRESSION.

© NBS MOROCCO












© NORTH BRIDGING SOURCING. All Rights Reserved.





NORTH BRIDGING SOURCING
NBS
BUILDING MARKETS, BUILDING TRUST

© NORTH BRIDGING SOURCING. All Rights Reserved.











© NORTH BRIDGING SOURCING. All Rights Reserved.

DOOR SKIN
SECTION 2 OF 3

PAINTING FACE

Painting face door skins deliver a smooth, elegant finish with a refined look. Available in a variety of colors and finishes to suit modern and classic interiors.



SMOOTH FINISH

WIDE RANGE OF COLORS

DURABLE & RESISTANT

ELEGANT APPEARANCE

REFINED SURFACE. TIMELESS STYLE.

© NBS MOROCCO














© NORTH BRIDGING SOURCING. All Rights Reserved.

DOOR SKIN
SECTION 3 OF 3

RED OAK & WALNUT FACES

Red oak and walnut face door skins combine natural beauty and refined elegance, bringing warmth, depth, and timeless character to any interior space.



NATURAL WOOD GRAIN


DURABLE & STURDY

ECO-FRIENDLY MATERIAL

TIMELESS APPEAL

NATURAL BEAUTY. LASTING QUALITY.


© NBS MOROCCO



RED OAK



RED OAK




RED OAK



WALNUT




WALNUT



WALNUT

© NORTH BRIDGING SOURCING. All Rights Reserved.

MDF WALL PANEL



CONSISTENT
DENSITY
DEPENDABLE
QUALITY


MDF WALL PANEL

STRONG. STABLE. VERSATILE.

AVAILABLE DIMENSIONS

Dimension	PCS/CARTON
2750x120x20mm	10 PCS

ENGINEERED FOR STRENGTH
BUILT FOR RELIABILITY









© NORTH BRIDGING SOURCING. All Rights Reserved.


NEXT
SECTION


WPC PANEL

DURABLE. WEATHER-RESISTANT. BUILT FOR LIFE.



© NBS MOROCCO











© NORTH BRIDGING SOURCING. All Rights Reserved.

NEXT SECTION

SPC WALL PANEL

WATERPROOF. DURABLE. ELEGANT.
DESIGNED FOR MODERN SPACES.



100% WATERPROOF





SCRATCH & IMPACT RESISTANT


ECO-FRIENDLY AND SAFE



EASY TO CLEAN AND MAINTAIN

QUICK & EASY INSTALLATION

© NBS MOROCCO















© NORTH BRIDGING SOURCING. All Rights Reserved.






© NORTH BRIDGING SOURCING. All Rights Reserved.

















© NORTH BRIDGING SOURCING. All Rights Reserved.





© NORTH BRIDGING SOURCING. All Rights Reserved.




©NORTH BRIDGING SOURCING. All Rights Reserved.

ACOUSTIC PANEL

ACOUSTIC
DURABLE
ECO-FRIENDLY
PREMIUM QUALITY

ACOUSTIC PANEL

SOUND ABSORPTION. STYLE. COMFORT.

Acoustic panels are designed to reduce noise, enhance sound quality, and create a more comfortable and stylish environment.

BLACK MDF
750 kg/m³

ACOUSTIC PET FELT
1 350 g/m²

APPLICATIONS
Walls & Ceilings


FORMATS
1 Face / 3 Face

AVAILABLE DIMENSIONS & PACKING


Dimension	Packing
2400x600x21mm	680pcs/20';1828pcs/40'
2600-2800x600x21mm	680pcs/20';1440pcs/40'
3000x600x21mm	680pcs/20';1440pcs/40'

DESIGNED FOR SOUND • BUILT FOR BETTER SPACES •

© ARSER WOOD - YAHYA | NBS MOROCCO





© NORTH BRIDGING SOURCING. All Rights Reserved.

CONSISTENT
DENSITY
DEPENDABLE
QUALITY

SPC FLOORING

STRONG. STABLE. BEAUTIFUL.

DIMENSION

Size (mm)	Width (mm)	Thickness (mm)
1220	183	4

KEY FEATURES

WATERPROOF
100% waterproof surface for worry-free use.


DURABLE
High resistance to scratches, impacts, and daily wear.

STABLE CORE
Rigid SPC core for excellent dimensional stability.


EASY INSTALLATION
Click locking system for quick and simple installation.


ENGINEERED FOR STRENGTH • BUILT FOR PERFORMANCE •

© NBS MOROCCO



















© NORTH BRIDGING SOURCING. All Rights Reserved.


© NBS MOROCCO

NEXT SECTION

MDF BOARD SPECIFICATIONS

PRECISION MEASURED.
CONSISTENT QUALITY.

Carefully manufactured MDF boards with accurate dimensions and multiple thickness options to meet a wide range of application needs.





ACCURATE DIMENSIONS



CONSISTENT THICKNESS



PRECISION CHECKED



RELIABLE QUALITY



ENGINEERED FOR STRENGTH
BUILT FOR RELIABILITY














© NORTH BRIDGING SOURCING. All Rights Reserved.



















© NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO


NEXT SECTION



STOCK & FACTORY

RAW MATERIAL. STOCKED.
PRODUCED WITH CARE.














© NORTH BRIDGING SOURCING. All Rights Reserved.














© NORTH BRIDGING SOURCING. All Rights Reserved.







© NORTH BRIDGING SOURCING. All Rights Reserved.

© NBS MOROCCO

NEXT SECTION

SHIPPING & LOADING


SECURE PACKAGING.
ON-TIME DELIVERY.






























© NORTH BRIDGING SOURCING. All Rights Reserved.

NBS

NORTH BRIDGING SOURCING

BRIDGING MARKETS. BUILDING TRUST.

THANK YOU

FOR CHOOSING ARSER WOOD

We appreciate your interest in our products.
Arser Wood is committed to delivering
quality, reliability and **sustainable** solutions
for every project.

BRIDGING MARKETS. BUILDING TRUST.